

- The curve a guard against leakages
- First smooth surface-for easy handling & installation
- Embossed surface-a guide against peeling, corrosion etc
- Economical minimum maintenance (made to international standard)
- Length are tailored to customers desire
- Attractive Ovenbacked Paint
- Insulation properties



Product Details	
No of Pitches	5
Single Lap	1000mm
Double Lap	850mm
Pitch of Profile	200mm
Depth of Profile	32mm

Material And Thickness Available	
Material	Thickness
Aluminium	0.40mm - 0.70mm

Colours Available

Nut Brown

Grey Beige

Terracotta Red

Holy Bush Green

Ivory

Post Office Red

Other colours at special request

Surface Finish Available

Coloured Mill Finish

Coloured Diamond Embossed

Tower Span150



- The curve crest a guard against leakages.
- First smooth surface for easy handling & installation.
- Embossed surface a guard against peeling, corrosion etc.
- Economical minimum maintenance (made to international standard).
- Length are tailored to customers desire.
- Attractive Ovenbaked Paint.
- Insulation Properties.



Product Details	
No of Pitches	6
Single Lap	900mm
Double Lap	750mm
Pitch of Profile	150mm
Depth of Profile	32mm

Material And Thickness Available	
Material	Thickness
ZinAl	0.30mm - 0.35mm
GI	0.18mm - 0.30mm
Aluminium	0.40mm - 0.70mm

Colours Available
Nut Brown
Grey Beige
Terracotta Red
Holy Bush Green
Ivory
Post Office Red
Other colours at special request

Coloured Mill Finish

Coloured Diamond Embossed

Plain Stucco Embossed

Tower Metcoppo



- Traditional Delightful Classic tiles



Product Details	
No of Pitches	6
Effective Coverage	1000mm
Low Step	150mm
High Step	300mm
Pitch of Profile	110mm
Depth of Profile	32mm

Material And Thickness Available	
Material	Thickness
ZinAl	0.30mm - 0.35mm
GI	0.18mm - 0.30mm
Aluminium	0.40mm - 0.70mm

Colours Available
Nut Brown
Grey Beige
Terracotta Red
Holy Bush Green
Ivory
Post Office Red
Other colours at special request

Coloured Mill Finish

Coloured Diamond Embossed

Plain Stucco Embossed

Tower Tiles



- Delightful title appearance with no joints or crack on roof
- Colored crafted metal sheets
- Tower tiles remain solidly affixed to roof due to its sturdy interlocks
- Tiles are lighter compared to any other types of tiled material



Product Details	
No of Pitches	5
Effective Coverage	925mm
Step Mode	300mm
Pitch of Profile	185mm
Depth of Profile	28mm

Material And Thickness Available	
Material	Thickness
Aluminium	0.40mm - 0.70mm

Colours Available
Nut Brown
Grey Beige
Terracotta Red
Holy Bush Green
Ivory
Post Office Red
Other colours at special reques
Surface Finish Available

Coloured Mill Finish

Coloured Diamond Embossed

Tower Clad



- Versatility of usage.
- Long life minimum maintenance.
- Aesthetically pleasing.



Product Details	
No of Pitches	5
Single Lap	1000mm
Double Lap	850mm
Pitch of Profile	200mm
Depth of Profile	32mm

Material And Thickness Available		
Material	Thickness	
Aluminium	0.40mm - 0.70mm	
ZinAl	0.30mm - 0.35mm	
GI	0.18mm - 0.30mm	


Colours Available
Nut Brown
Grey Beige
Terracotta Red
Holy Bush Green
Ivory
Post Office Red
Other colours at special request

Coloured Mill Finish
Coloured Diamond Embossed
Plain Stucco Embossed

Tower Krimp



- Curved aluminium roofing sheets for distinct class in various colours.
- In-built strength to support itself on simple rafter.
- Offers architectural innovative applications.
- Aesthetic and ease of installation.



Product Details	
No of Pitches	5
Single Lap	1000mm

Double Lap	850mm
Pitch of Profile	200mm
Depth of Profile	32mm

Material And Thickness Available

Material	Thickness
Aluminium	0.40mm - 0.70mm

Colours Available

Nut Brown

Grey Beige

Terracotta Red

Holy Bush Green

Ivory

Post Office Red

Other colours at special request

Surface Finish Available

Coloured Mill Finish

Coloured Diamond Embossed

Tower Cool



- Excellent Insulation Quality
- Noise Reduction
- Reduces Temperature/heat
- Easy To Install



Product Details	
No of Pitches	6
Effective Coverage	900mm
Panel Type	Single Panel Double Panel
Pitch of Profile	150mm
Depth of Profile	32mm
Minimum Insulation Thickness	18mm

Material And Thickness Available		
Material	Thickness	
Aluminium	0.40mm - 0.70mm	
ZinAl	0.30mm - 0.35mm	
Polyurethane 18mm		
Poly Vinyl Chloride (PVC) Paper		

Colours Available	
Nut Brown	
Grey Beige	
Terracotta Red	
Holy Bush Green	
Ivory	
Post Office Red	
Other colours at special reques	
Surface Finish Available	
Coloured Mill Finish	
Coloured Diamond Embossed	

Tower Stone



- Long life minimum maintenance.
- Aesthetically pleasing.

